

CUSTOMER:

Acumen

REF NO:

DESCRIPTION:

CHOKE COIL


PAGE: 1/3

## SPECIFICATION

DIMENSION: MM

CHOKE COIL

Bottom View



MODEL NO:

RL7590-333J

Dimensions:

Diameter:

A: 9.0max

Body length :

C: 13max

Lead Wire Length:


 $11 \pm 2$ mm

Lead Wire Diameter:

D:  $\Phi 0.6$ mm

Pitch:

P: 5



## Electronic Characteristics:

Inductance:

33mH  $\pm 5\%$ 

1KHz/0.25V CH-100LCR

DC Resist:

70  $\Omega$  max

CH-502AC at 25°C

## Winding Specification:

Cord:

H19 DR 7.5\*9 FSO

Coil Wire Diameter:

2UEW  $\Phi 0.07$ mm

Turns:

991Ts (Ref))

样板套管暂不印字，待生产时再印字


APP	CHK	DRG
 28 AUG 2006 黄耀文	 28 AUG 2006 李廣源	 28 AUG 2006 陳佩瑞

SAMPLE NO.	
MATSUTA NO.	
SPEC. NO.	ENS0088
ISSUE DATE.	28/8/2006

CUSTOMER	Acumen	REF NO:
DESCRIPTION	CHOKE COIL	PAGE:2/3

## SPECIFICATION

*DIMENSION: MM*



### VI. MATERIALS LIST:

NO	ITEM	MATERIALS	MANUFACTURER	UL FILE NO
A	CORE	H19 DR 7.5*9 FSO 中径=3mm; 槽宽=4.7mm; 距=5mm	HENG CI	N/A
B	WIRE	2UEW 130°C	YAODA CHING METAL CORP	E192838
C	SOLDER	SN100%	MIHON GENMA	N/A
D	PIN	TINNED COPPER WIRE	DING SHENG	N/A
E	TUBE	UL TUBE	JIU JIA	E203950

APP 旺興達 28 AUG 2006 黃耀文	CHK 旺興達 28 AUG 2006 李廣源	DRG 旺興達 28 AUG 2006 黃耀文
----------------------------------	----------------------------------	----------------------------------

SAMPLE NO.	
MATSUTA NO.	
SPEC. NO.	ENS0088
ISSUE DATE.	28/8/2006

# TEST DATA

CUSTOMER:

Acumen

REF NO:

DESCRIPTION:

CHOKE COIL

PAGE:3/3




ELECTRICAL TEST DATA

OREALL DIMENSTON(UNIT: MM)

	L (mH)	DCR ( $\Omega$ )		L (mH)	DCR ( $\Omega$ )				
SPEC	33 $\pm$ 5%	70max	SPEC	33 $\pm$ 5%	70max				
1	33.3	64.1	11	33.4	64.70				
2	33.4	63.5	12	33.4	65.20				
3	33.4	64.0	13	33.3	64.30				
4	33.4	63.1	14	33.4	64.20				
5	33.3	63.4	15	33.4	64.60				
6	33.2	63.4	16	33.4	63.30				
7	33.1	64.0	17	32.9	64.90				
8	33.5	64.5	18	33.2	64.10				
9	33.2	64.1	19	33.2	63.60				
10	33.2	65.4	20	33.4	64.30				
$\bar{X}$	33.3	63.95	$\bar{X}$	33.3	64.32				
R	0.4	2.30	R	0.5	1.60				

TEST EQUIPMENT:

L	<input type="checkbox"/> CH-1062	<input type="checkbox"/> TH-2817	<input checked="" type="checkbox"/> CH-100 at 1KHz/0.25
Q	<input type="checkbox"/> HP-4342A		
DCR	<input checked="" type="checkbox"/> CH-502AC		
SRF	<input type="checkbox"/> HM9460		
IDC	<input type="checkbox"/> CH-1772B与CH-100组合		

APP	CHK	DRG
		

SAMPLE NO.	
MATSUTA NO.	
SPEC. NO.	ENS0088
ISSUE DATE.	28/8/2006